

## 1/16 E-Revo® (Model 71054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	7153	Driveshaft, steel constant-velocity, 1/16 E-Revo® (shaft only, 68mm)/ drive cup pin (1)
<b>5124</b> 7019	Ball bearings, blue rubber sealed (4x7x2.5mm) (2) Ball bearings, blue rubber sealed (4x8x3mm) (2)	7250R	Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)
<b>5114</b> 7020	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	7056	Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft) (2)/ metal u-joints (4)
	Body & Accessories	7150	Half shafts, left or right (internal splined half shaft (2)/external splined half shaft) (2))/ metal u-joints (4)
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	7055	Rebuild kit, steel constant-velocity driveshafts (includes pins, o-
1834	Body clips (12) (standard size)	7054	rings, stub axles for driveshafts assemblies) Stub axle, steel (2)/ y okes (2) (assembled)
7015	Body mounts, front & rear/ body mount posts, front & rear	7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
4915 <b>6716</b>	Body washers, foam adhesive (10)	7154X	Wheel hubs, hex, aluminum (blue-anodized) (4)
7111	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4) Body, 1/16 E-Revo® (clear, requires painting)/ grille and lights	7057	Yokes, differential and transmission (2)/ 3x10mm screw pin (2)
2514	decal sheet Decal sheet, racing sponsors	7022V	<u>-</u>
7114	Decal sheets, 1/16 E-Rev o®	7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	7034	Axle carriers, left & right (2 each)
7121	Wing mount/ hardware (1/16 E-Revo®)	7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7122 <b>7122G</b>	Wing, 1/16 E-Revo® (black)/ decal sheet Wing, 1/16 E-Revo® (Exo-carbon finish)/ decal sheet	7030X	Bulkhead, front (left & right halves)/ 3x10mm BCS (4)
7123	Wing, 1/16 E-Revo® (white)/ decal sheet	7028	Hollow balls (20)
	Bumpers & Skidplates	7028X	Hollow balls, steel (machined)
7135	Bumpers, front (1)/ rear (1)	7033	Pivot balls (4)/ pivot ball caps (4)
7037	Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering serv o	<b>7118G</b> 7018	Push rod (molded composite) (green) (4)/ hollow balls (8) Push rod (molded composite) (red) (4)/ hollow balls (8)
	guards (2) / steering serv o cov er plate (1)	7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
	Chassis & Attachments	7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod
7015	Body mounts, front & rear/ body mount posts, front & rear	7155	ends) Rocker arm post, steel (4)
7024X	Box, receiver (sealed)/ wire cover/foam pads, upper & lower/ silicone grease/ 2.5x8 CS (4)/ 3x4 GS (1)	7158	Rocker arm set, progressive-2/ plastic bushings (8)
7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)	7043	Steering arm (upper & lower)/ steering link/servohorn/servosaver/servosaver spring/servohorn mount/ball stud (2)/shock mounts,
7030X	Bulkhead, front (left & right halv es)/ 3x10mm BCS (4)	7131	front & rear/ 2.5x18mm CS (4)  Suspension arm set, front (includes upper right & left and lower right
7029X 7022	Bulkhead, rear (left & right halv es)/ 3x10mm BCS (4) Chassis	7131	& left arms)
7026	Door, battery compartment (1)/ vents, battery compartment (1 pair)	7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
	(fits right or left side)		Hardware
7185A	LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)	<b>5124</b>	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
7186	LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286A)	7019 <b>5114</b>	Ball bearings, blue rubber sealed (4x8x3mm) (2)  Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
7286A	LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap	7020 5123	Ball bearings, blue rubber sealed (8x12x3.5mm) (2) Bellcrank bushings (plastic) (4x7x2.5mm) (4)
7025	connector (with cable)/ 2.6x8 BCS (2)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
7025	Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering servo	1834	Body clips (12) (standard size)
7007	guards (2) / steering serv o cov er plate (1)	5150	E-clips, 1.5mm (24)
7043	Steering arm (upper & lower)/ steering link/ serv o horn/ serv o sav er/	5477 7028	Flat wrench, 5mm (blue-anodized aluminum) Hollow balls (20)
	serv o sav er spring/ serv o horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)	7028X	Hollow balls, steel (machined)
7184	Wheelie bar, assembled	2745	Nuts, 3mm ny lon locking (12)
7121	Wing mount/ hardware (1/16 E-Rev o®)	3647	Nuts, 4mm flanged ny lon locking (steel, serrated) (8)
	Differential Components	1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
7019	Ball bearings, blue rubber sealed (4x8x3mm) (2)	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
7080	Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
7078	2x14mm BCS (4) Differential assembly (complete)	7155 <b>7050</b>	Rocker arm post, steel (4)  Rod ends (8)/ hollow balls (8)
7014	Differential kit, center (complete)	<b>7059</b> 3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
5136X	Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
7082	Gear set, differential (output gears (2)/ spider gears (3))/ differential	3236	Screws, 2.5x12mm cap-head machine (6)
5130	output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)  Oil, differential (100K wt) (0.7 oz (20cc))	2526	Screws, 2.5x12mm countersunk machine (hex drive) (6)
5135	Oil, differential (10K wt, 50cc)	3215 3965	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
5136	Oil, differential (30K wt, 50cc)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
5137 7014X	Oil, differential (50K wt, 50cc) Rebuild kit, center differential (includes o-rings and diff gear covers)	3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
7079	Ring gear, differential/ pinion gear, differential	2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
	Driveline Components	2579 2575	Screws, 3x6mm button-head machine (hex drive) (6)
	-	2576	Screws, 3x8mm button-head machine (hex drive) (6)
7034	Axie camers, lei t & right (2 each)		
7034 <b>7052</b>	Axle carriers, left & right (2 each)  Drive cups, inner (2) (steel constant-velocity driveshafts)	2743	Set (grub) screws, 3mm hardened (12)
	Drive cups, inner (2) (steel constant-velocity driveshafts) Driveshaft assembly (1) left or right (fully assembled, ready to install)	2743	Set (grub) screws, 3mm hardened (12)
7052	Drive cups, inner (2) (steel constant-velocity driveshafts)	2743 <b>6549</b>	

BCS (2)

7185A	LED light kit, 1/16 E-Revo® (includes power supply, front & rear	3064X	Wire harness, parallel battery connection (compatible with
7186	bumpers, light harness (4 clear, 4 red), wire ties) LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/	3024R	Traxxas® High Current Connector, NiMH only) XL 2.5 Electronic Speed Control, waterproof
70004	wire ties (3) (requires power supply #7286A)		Ready-To-Race Model
7286A	LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)	71054-1	E-Revo®: 1/16-Scale 4WD Racing Monster Truck with TQ™ 2.4GHz
	Manuals		radio system  Rear Suspension
7198	Owner's manual, 1/16 E-Revo	7022V	
	Motors & Electronics	7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
2082A	Gear set (for 2080A micro waterproof servo)	7034	Axle carriers, left & right (2 each)
2082X	Gear set, metal (for 2080X micro waterproof servo)	7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
3374	Heat sink, Velineon® 380 brushless motor, aluminum (blue- anodized)	7029X	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
7060	Motor mount, finned aluminum	7028	Hollow balls (20)
7360 3785	Motor mount, finned aluminum (for 550 motors) Motor, Titan® 12T (12-Turn, 550 size)	<b>7028X</b> 7033	Hollow balls, steel (machined) Piv ot balls (4)/ piv ot ball caps (4)
371	Motor, Velineon® Mini Maxx® 380, brushless (assembled with	7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
	16-gauge wire and gold-plated connectors)	7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
2081A	Service case/ gaskets (for 2080A micro waterproof service)	7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)	7155	ends) Rocker arm post, steel (4)
2080A	Servo, micro, waterproof	7158	Rocker arm set, progressive-2/ plastic bushings (8)
2080X	Servo, micro, waterproof, metal gear	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
3370	Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon 380 motor)	7043	Steering arm (upper & lower)/ steering link/serv o horn/serv o sav er/ serv o sav er spring/serv o horn mount/ball stud (2)/shock mounts.
3375	VXL-3m Electronic Speed Control, waterproof (brushless)		front & rear/ 2.5x18mm CS (4)
3024R	XL 2.5 Electronic Speed Control, waterproof	7132	Suspension arm set, rear (includes upper right & left and lower right
	Radio System, Batteries & Chargers	7132R	& left arms) Suspension arm set, rear, extended wheelbase (lengthens
2820X	2200mAh 7.4v 2-Cell 25C LiPo Battery	710210	wheelbase 10mm) (includes upper right & left and lower right &
2976	AC to DC converter, 40W	7004	left arms)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	7021 <b>7138G</b>	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)  Toe link, front & rear (molded composite) (green) (4)/ hollow
2943	Battery charge indicators (green (4), blue (4), gray (4))	7 1000	balls (8)
548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
2914	6530 transmitters)  Battery, Power Cell AA Alkaline (4)	7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod end and threaded inserts)
2925X	Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)		Shock Oil
2974	Charger, DC, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)	5024	
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	Battery Identification	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	5035 5036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
	Battery Identification	5029	Shock oil bottle (60cc) (for mixing shock oil)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	1667	Silicone shock oil (30 wt), 60cc
2082A	Gear set (for 2080A micro waterproof serv o)	5038	Spinning carousel rack
2082X 2968X	Gear set, metal (for 2080X micro waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for		Shocks (GTR)
.500%	Traxxas® iD® batteries)	7066	Body, GTR shock (molded composite) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5535	Traxxas® iD® batteries)	7028	Hollow balls (20)
5535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
3519	Receiver, micro, TQ 2.4GHz (3-channel)	7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-
5533 5533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	7063	clips, shock rod ends, hollow balls) (renews 2 shocks) Shaft, GTR shock (2)
522 523	Sensor, RPM (short)/ 3x4mm BCS (2) Sensor, temperature and voltage (short)	7063T	Shaft, GTR shock (TiN-coated) (4)
2081A	Serv o case/ gaskets (for 2080A micro waterproof serv o)	7061	Shocks, GTR composite (assembled, without springs) (2)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof	7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shaft (fully assembled, without springs) (4)
2080A	servo) Servo, micro, waterproof		Slipper Clutch Components
2080X	Servo, micro, waterproof, metal gear	7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad,
540	Telemetry trigger magnet, 5X2mm (1)	7 102	spring, 3.0mm NL, 1.5x6mm pin)
509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)		Springs
507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	7145	Spring, shock (GTR) (1.76 rate, orange) (1 pair)
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	7146	Spring, shock (GTR) (1.92 rate, green) (1 pair)
516	receiver) Transmitter TO 2 4GHz 2-channel (transmitter only)	7147	Spring, shock (GTR) (2.06 rate, tan) (1 pair)
516 <b>528</b>	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	7148	Spring, shock (GTR) (2.22 rate, black) (1 pair)
	channel (transmitter only)		Spur Gears & Pinion Gears
529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	2416	Gear, 16-T pinion (48-pitch) / set screw
530	channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	1918 2419	Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw
	channel (transmitter only)	2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
S511	Traxxas Link™ Wireless Module	2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
375	VXL-3m Electronic Speed Control, waterproof (brushless)	2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw

Page 3	1/16 E-Revo®: TQ™ 2.4GHz radio, Titan® 550 moto	r (Mod
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	8711
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw	••••
7045R	Spur gear, 45-tooth	
7046R	Spur gear, 50-tooth	
7047R	Spur gear, 55-tooth	8719
	Steering Components	
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	8716
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	
7043	Steering arm (upper & lower)/ steering link/servohorn/servosaver/	8716X
	serv o sav er spring/ serv o horn mount/ ball stud (2)/ shock mounts,	
74200	front & rear/ 2.5x18mm CS (4)  Toe link, front & rear (molded composite) (green) (4)/ hollow	8715
7138G	balls (8)	8715X
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)	
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends	2748R
	and threaded inserts)	
	Suspension Linkage	3415
7028	Hollow balls (20)	3413
7028X	Hollow balls, steel (machined)	
7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)	
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)	
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)	
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)	7028
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow	7028X
	balls (8)	7118G
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)	7118
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends	7118X
	and threaded inserts)	7138G
	Tires & Wheels	
7175	Tires & wheels, assembled, glued (white dished 2.2" wheels,	7138
7174A	Response Pro 2.2" tires, foam inserts) (2)	7138X
7174A	Tires and wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)	
7173	Tires, Response Pro 2.2" (soft-compound, narrow profile, short	
	knobby design)/ foam inserts (2)	
7170	Tires, Talon / foam inserts (2)	
7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)	
7154X 7171	Wheel hubs, hex, aluminum (blue-anodized) (4) Wheels, dished 2.2" (white) (2)	
7171 7172A	Wheels, Gemini (black chrome) (2)	
	Transmission Components	
7077R	Cover, gear/ motor mount hinge post/ 3x10mm CS with split and	
70771	flat washers (1)/ 3x8mm BCS (1)	
7379R	Cov er, gear/motor plate access cov er/ motor mount hinge post /	
	3x10mm CS w/split and flat washers (1) / 2.5x4mm CS (2) / 3x8mm	
=044	BCS (1) (for 550 motors)	
<b>7014</b> 7093	Differential kit, center (complete) Gear set, transmission (includes 18T, 25T input gears, 13T idler gear	
7000	(steel), 35T output gear, M3x13.75 screw pin)	
7091	Gearbox halves, front & rear	
7092	Input shaft/ output shaft	
7090	Plate, motor	
7380	Plate, motor (for 550 motor)	
7014X	Rebuild kit, center differential (includes o-rings and diff gear covers)	
7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad,	
	spring, 3.0mm NL, 1.5x6mm pin)	
7095	Transmission, complete (fits 1/16-scale brushed models)	
	Traxxas Tools	
3433X	Body reamer (aluminum handle)	
3433	Body reamer (plastic handle)	
3436	Cap, body reamer	
3432	Scissors, curved tip	
3431 8712	Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	
07 12	premium handle (medium), travel pouch, hex drivers (straight:	
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,	
	and 8.0mm), 1/4" drive	
8721	Speed bit handle, medium (one piece)	
8720 8722	Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold)	
8722 8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes	
J. 10	premium handle (medium), travel pouch, hex drivers (straight:	
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,	
	3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,	

3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,

7.00mm, 8.00mm),

Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive

Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,

2.5mm, 3.0mm), 1/4" drive
2.5mm, 3.0mm), 1/4" drive
Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,

3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

## Turnbuckles & Threaded Rods

7118G Push rod (molded composite) (green) (4)/ hollow balls (8)
7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X Push rods, aluminum (red-anodized) (4) (assembled with rod

Hollow balls (20)

Hollow balls, steel (machined)

38G Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)

7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

 $(1\text{-}888\text{-}872\text{-}9927) \; (\text{U.S. residents only})$ 

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM